

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and "user data" and "control packet" and (store or stored or storing or storage) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L3	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L4	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (converting NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L5	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L6	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 ADJ address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L7	2	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 ADJ address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04

L8	11	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L9	6	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (converting NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L10	8	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L11	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and "determination unit" and "destination address" and "broadcast address" and ("Network layer" or "layer 3") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L12	8	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("Network layer" or "layer 3") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L13	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (CPU or "central processing unit" or "control processing unit") and (tunnel or "logical tunnel") and "destination address" and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06

L14	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (CPU or "central processing unit" or "control processing unit") and (tunnel or "logical tunnel") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L15	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (memory or storage or "storage control unit") and (tunnel or "logical tunnel") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L16	0	(backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "address conversion unit" and "determination unit" and "forwarding unit" and "distribution unit" and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:07
L17	37336	((370/395.50) or (370/466-467) or (370/401) or (370/352) or (370/389) or (370/392) or (370/474) or (370/400) or (370/393) or (370/394) or (370/395.1) or (370/395.31) or (370/395.32) or (370/395.52) or (370/469) or (370/235) or (370/252) or (709/245) or (709/238) or (709/233) or (709/213) or (709/242) or (709/229) or (709/247) or (709/230) or (709/228) or (709/249) or (709/224) or (709/235) or (709/233) or (709/217) or (709/249) or (709/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:01
L18	102	L17 and (backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:02

L19	27	L17 and (backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:02
L20	5	L17 and (backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:02
L21	14	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
L22	14	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
L23	8	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
L24	9	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3 or strip\$4) NEAR header) and (relay or "relay destination") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03

L25	2	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and "user data" and "control packet" and (store or stored or storing or storage) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L26	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L27	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (converting NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L28	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L29	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 ADJ address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04
L30	1	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 ADJ address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:04

L31	4	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (converting NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L32	5	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR destination) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L33	6	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR address) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L34	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and "determination unit" and "destination address" and "broadcast address" and ("Network layer" or "layer 3") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05
L35	8	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("Network layer" or "layer 3") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:05

L36	8	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("Network layer" or "layer 3") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L37	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (CPU or "central processing unit" or "control processing unit") and (tunnel or "logical tunnel") and "destination address" and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L38	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (CPU or "central processing unit" or "control processing unit") and (tunnel or "logical tunnel") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:06
L39	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "unicast" and "relay unit" and "determination unit" and (memory or storage or "storage control unit") and (tunnel or "logical tunnel") and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:07
L40	0	L17 and (backbone or "backbone network" or "ISP" or "ISP NETWORK" or "public network") and "address conversion unit" and "determination unit" and "forwarding unit" and "distribution unit" and (@rlad<""20010614"" or @prad<""20010614"")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:07

S109	162	(backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:01
S110	43	(backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:02
S111	6	(backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:02
S112	15	(backbone or "backbone network" or "ISP" or "ISP NETWORK") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
S113	15	(backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
S114	9	(backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03

S11 5	10	(backbone or "backbone network" or "ISP" or "ISP NETWORK") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3 or strip\$4) NEAR header) and (relay or "relay destination") and (@rlad<"20010614" or @prad<"20010614")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 15:03
----------	----	--	---	----	-----	------------------